

License #: OCM-AUCC-22-000090

Date Released: 5/15/2023 2:29:12PM

Report #: 1625

Planet of the Grapes

Sample #: 1206, Weight: 45.50g, Unit Count:

Order #: X230501-0002

Category/Type: Plant, Flower - Cured

Date Collected: 5/1/2023 5:39:21PM

Date Received: 5/1/2023 5:44:11PM

Date Analyzed: 5/8/2023 9:18:57AM

Regulator Sample ID: PG123401A

Regulator Source Package ID: PG123401A

Regulator Batch ID: PG123401A



Total Cannabinoids
22.46 %
224.6 mg/g



Total THC
18.59 %
185.9 mg/g



Total CBD
0.00 %
ND mg/g




Total Terpenes
1.9 %



Moisture
13.1 %



Heavy Metals
PASS



Microbials
PASS



Pesticides
PASS



Mycotoxins
PASS



Foreign Matter
PASS



Water Activity
PASS

Potency Analysis by HPLC

Total Cannabinoids: **22.46 % - 224.6 mg/g**

Total THC: **18.59 % - 185.9 mg/g**

Total CBD: **0.00 % - ND mg/g**

Date Completed: 05/03/2023 11:01AM

| Compound | CAS# | LOQ (%) | % | mg/g | Relative Concentration |
|----------|------------|---------|-------|-------|------------------------------------|
| THCa | 23978-85-0 | 0.0010 | 21.20 | 212.0 | <div style="width: 21.20%;"></div> |
| CBGa | 25555-57-1 | 0.0010 | 1.26 | 12.6 | <div style="width: 1.26%;"></div> |
| d8-THC | 5957-75-5 | 0.001 | ND | ND | |
| d9-THC | 1972-08-3 | 0.001 | ND | ND | |
| d10-THC | 95543-62-7 | 0.001 | ND | ND | |
| THCV | 31262-37-0 | 0.001 | ND | ND | |
| CBD | 13956-29-1 | 0.001 | ND | ND | |
| CBDa | 1244-58-2 | 0.001 | ND | ND | |
| CBDV | 24274-48-4 | 0.001 | ND | ND | |
| CBC | 20675-51-8 | 0.001 | ND | ND | |
| CBG | 25654-31-3 | 0.001 | ND | ND | |
| CBN | 521-35-7 | 0.001 | ND | ND | |

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

Total CBD = CBD + (0.877*CBDa)

Total THC = d9-THC + d8-THC + d10-THC + (0.877*THCa) d8-THC is an abbreviation for delta-8 tetrahydrocannabinol.

d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director
5/15/2023 2:31:19PM




Sample #: 1206

Planet of the Grapes

Terpenes by HS-GC-MS

Date Completed: 05/03/2023 10:13AM



| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|---------------------|------------|---------|-----|---------------------------------|
| beta-Myrcene | 123-35-3 | 0.1 | 0.4 | <div style="width: 40%;"></div> |
| Terpinolene | 586-62-9 | 0.1 | 0.4 | <div style="width: 40%;"></div> |
| trans-Caryophyllene | 87-44-5 | 0.1 | 0.3 | <div style="width: 30%;"></div> |
| cis-Ocimene | 3338-55-4 | 0.1 | 0.2 | <div style="width: 20%;"></div> |
| alpha-Farnesene | 502-61-4 | 0.1 | 0.1 | <div style="width: 10%;"></div> |
| alpha-Humulene | 6753-98-6 | 0.1 | 0.1 | <div style="width: 10%;"></div> |
| beta-Farnesene | 18794-84-8 | 0.1 | 0.1 | <div style="width: 10%;"></div> |
| beta-Pinene | 127-91-3 | 0.1 | 0.1 | <div style="width: 10%;"></div> |
| p-Mentha-1,5-diene | 99-83-2 | 0.1 | 0.1 | <div style="width: 10%;"></div> |
| R(+)-Limonene | 5989-27-5 | 0.1 | 0.1 | <div style="width: 10%;"></div> |

Results based on dry weight

| | | | |
|-------------------------|------------|-----|----|
| (-)-Borneol | 464-45-9 | 0.1 | ND |
| (-)-Caryophyllene Oxide | 1139-30-6 | 0.1 | ND |
| (-)-Isopulegol | 89-79-2 | 0.1 | ND |
| (+)-Borneol | 464-43-7 | 0.1 | ND |
| (+)-Cedrol | 77-53-2 | 0.1 | ND |
| (1R)-(+)-Camphor | 464-49-3 | 0.1 | ND |
| 3-Carene | 13466-78-9 | 0.1 | ND |
| alpha-Bisabolol | 515-69-5 | 0.1 | ND |
| alpha-Cedrene | 469-61-4 | 0.1 | ND |
| alpha-Pinene | 80-56-8 | 0.1 | ND |
| alpha-Terpinene | 99-86-5 | 0.1 | ND |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-CPL-2022-00007

Kelly N Greenland

Dr. Kelly Greenland, Lab Director
5/15/2023 2:31:19PM



Sample #: 1206

Planet of the Grapes

| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|----------------------|------------|---------|----|------------------------|
| alpha-Terpineol | 98-55-5 | 0.1 | ND | |
| Camphene | 79-92-5 | 0.1 | ND | |
| cis-Nerolidol | 142-50-7 | 0.1 | ND | |
| Endo-Fenchyl Alcohol | 14575-74-7 | 0.1 | ND | |
| Eucalyptol | 470-82-6 | 0.1 | ND | |
| Fenchone | 1195-79-5 | 0.1 | ND | |
| gamma-Terpinene | 99-85-4 | 0.1 | ND | |
| gamma-Terpineol | 586-81-2 | 0.1 | ND | |
| Geraniol | 106-24-1 | 0.1 | ND | |
| Geranyl Acetate | 105-87-3 | 0.1 | ND | |
| Guaiol | 489-86-1 | 0.1 | ND | |
| Hexahydro Thymol | 15356-70-4 | 0.1 | ND | |
| Linalool | 78-70-6 | 0.1 | ND | |
| Nerol | 106-25-2 | 0.1 | ND | |
| Pulegone | 89-82-7 | 0.1 | ND | |
| Sabinene | 3387-41-5 | 0.1 | ND | |
| Sabinene Hydrate | 546-79-2 | 0.1 | ND | |
| trans-Nerolidol | 40716-66-3 | 0.1 | ND | |
| trans-Ocimene | 3779-61-1 | 0.1 | ND | |
| Valencene | 4630-07-3 | 0.1 | ND | |

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Foreign Matter by Microscopy

Pass

Date Completed: 05/02/2023 1:43 pm

| Compound | LOQ (%) | Limits (%) | Result (%) | Status |
|-------------------|---------|------------|------------|--------|
| % Foreign Matter | 0.001 | 2.0 | ND | Pass |
| Mammalian Excreta | 0.001 | 0.03 | ND | Pass |
| Stems | 0.001 | 5.0 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 License #: OCM-CPL-2022-00007

Kelly N Greenland

Dr. Kelly Greenland, Lab Director
 5/15/2023 2:31:19PM



License #: OCM-AUCC-22-000090

Sample #: 1206

Planet of the Grapes

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Moisture by Analyzer

Pass

Date Completed: 05/02/2023 1:43 pm

| Compound | LOQ (%) | Limits (%) | Result (%) | Status |
|----------|---------|------------|------------|--------|
| Moisture | 1.2 | 5 - 15 | 13.1 | Pass |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Water Activity by Meter

Pass

Date Completed: 05/02/2023 1:43 pm

| Compound | LOQ (Aw) | Limits (Aw) | Result (Aw) | Status |
|----------------|----------|-------------|-------------|--------|
| Water Activity | 0.05 | 0.65 | 0.51 | Pass |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Pesticides by LCMSMS

Pass

Date Completed: 05/03/2023 9:58 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------------------|------------|---------------|---------------|--------|
| Abamectin | 0.01 | 0.5 | ND | Pass |
| Acephate | 0.01 | 0.4 | ND | Pass |
| Acequinocyl | 0.01 | 2 | ND | Pass |
| Acetamiprid | 0.01 | 0.2 | ND | Pass |
| Aldicarb | 0.01 | 0.4 | ND | Pass |
| Azadirachtin | 0.01 | 1 | ND | Pass |
| Azoxystrobin | 0.01 | 0.2 | ND | Pass |
| Bifenazate | 0.01 | 0.2 | ND | Pass |
| Bifenthrin | 0.01 | 0.2 | ND | Pass |
| Boscalid | 0.01 | 0.4 | ND | Pass |
| Carbaryl | 0.01 | 0.2 | ND | Pass |
| Carbofuran | 0.01 | 0.2 | ND | Pass |
| Chlorantraniliprole | 0.01 | 0.2 | ND | Pass |
| Chlormequat Chloride | 0.01 | 1 | ND | Pass |
| Chlorpyrifos | 0.01 | 0.2 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director
5/15/2023 2:31:19PM



Sample #: 1206

Planet of the Grapes

Pesticides by LCMSMS

Pass

Date Completed: 05/03/2023 9:58 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|--------------------|------------|---------------|---------------|--------|
| Clofentezine | 0.01 | 0.2 | ND | Pass |
| Coumaphos | 0.01 | 1 | ND | Pass |
| Cyfluthrin | 0.01 | 1 | ND | Pass |
| Cypermethrin | 0.01 | 1 | ND | Pass |
| Daminozide | 0.01 | 1 | ND | Pass |
| Diazinon | 0.01 | 0.2 | ND | Pass |
| Dichlorvos | 0.01 | 1 | ND | Pass |
| Dimethoate | 0.01 | 0.2 | ND | Pass |
| Dimethomorph | 0.01 | 1 | ND | Pass |
| Ethoprophos | 0.01 | 0.2 | ND | Pass |
| Etofenprox | 0.01 | 0.4 | ND | Pass |
| Etoxazole | 0.01 | 0.2 | ND | Pass |
| Fenhexamid | 0.01 | 1 | ND | Pass |
| Fenoxycarb | 0.01 | 0.2 | ND | Pass |
| Fenpyroximate | 0.01 | 0.4 | ND | Pass |
| Fipronil | 0.01 | 0.4 | ND | Pass |
| Fonicamid | 0.01 | 1 | ND | Pass |
| Fludioxonil | 0.01 | 0.4 | ND | Pass |
| Hexythiazox | 0.01 | 1 | ND | Pass |
| Imazalil | 0.01 | 0.2 | ND | Pass |
| Imidacloprid | 0.01 | 0.4 | ND | Pass |
| Indolebutyric Acid | 0.01 | 1 | ND | Pass |
| Kresoxim-methyl | 0.01 | 0.4 | ND | Pass |
| Malathion | 0.01 | 0.2 | ND | Pass |
| Metalaxyl | 0.01 | 0.2 | ND | Pass |
| Methiocarb | 0.01 | 0.2 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 License #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director
 5/15/2023 2:31:19PM



Sample #: 1206

Planet of the Grapes

Pesticides by LCMSMS

Pass

Date Completed: 05/03/2023 9:58 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|--------------------|------------|---------------|---------------|--------|
| Mevinphos | 0.01 | 1 | ND | Pass |
| Myclobutanil | 0.01 | 0.2 | ND | Pass |
| Naled | 0.01 | 0.5 | ND | Pass |
| Oxamyl | 0.01 | 1 | ND | Pass |
| Paclobutrazol | 0.01 | 0.4 | ND | Pass |
| Permethrins, Total | | | 0.00 | Pass |
| Phosmet | 0.01 | 0.2 | ND | Pass |
| Piperonyl Butoxide | 0.01 | 2 | ND | Pass |
| Prallethrin | 0.01 | 0.2 | ND | Pass |
| Propiconazole | 0.01 | 0.4 | ND | Pass |
| Propoxur | 0.01 | 0.2 | ND | Pass |
| Pyrethrins Total | 0.01 | 1 | ND | Pass |
| Pyridaben | 0.01 | 0.2 | ND | Pass |
| Spinetoram Total | | | 0.00 | Pass |
| Spinosad Total | 0.01 | .2 | ND | Pass |
| Spiromesifen | 0.01 | 0.2 | ND | Pass |
| Spirotetramat | 0.01 | 0.2 | ND | Pass |
| Spiroxamine | 0.01 | 0.2 | ND | Pass |
| Tebuconazole | 0.01 | 0.4 | ND | Pass |
| Thiacloprid | 0.01 | 0.2 | ND | Pass |
| Thiamethoxam | 0.01 | 0.2 | ND | Pass |
| Trifloxystrobin | 0.01 | 0.2 | ND | Pass |

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

Mycotoxins by LCMSMS

Pass

Date Completed: 05/03/2023 9:58 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------|------------|---------------|---------------|--------|
|----------|------------|---------------|---------------|--------|

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 License #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director
 5/15/2023 2:31:19PM



Sample #: 1206

Planet of the Grapes

Mycotoxins by LCMSMS

Pass

Date Completed: 05/03/2023 9:58 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------|------------|---------------|---------------|--------|
| Aflatoxin B1 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin B2 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.005 | 0.020 | ND | Pass |
| Ochratoxin A | 0.005 | 0.020 | ND | Pass |
| Total Aflatoxin | 0.005 | 0.020 | ND | Pass |

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

Heavy Metals by ICPMS

Pass

Date Completed: 05/03/2023 11:16 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------|------------|---------------|---------------|--------|
| Antimony | 0.01 | 2 | ND | Pass |
| Arsenic | 0.001 | 0.2 | ND | Pass |
| Cadmium | 0.0015 | 0.3 | 0.02 | Pass |
| Chromium | 0.275 | 110 | 0.7 | Pass |
| Copper | 0.075 | 30 | 10 | Pass |
| Lead | 0.0025 | 0.5 | 0.03 | Pass |
| Mercury | 0.0005 | 0.1 | 0.006 | Pass |
| Nickel | 0.01 | 2 | 0.1 | Pass |

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

Micro by Petri & qPCR

Pass

Date Completed: 05/08/2023 9:18 am

| Compound | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
|-----------------------------------|-------------|----------------|----------------|--------|
| Aspergillus flavus Qualitative | 0 | 0 | Not Detected | Pass |
| Aspergillus fumigatus Qualitative | 0 | 0 | Not Detected | Pass |
| Aspergillus niger Qualitative | 0 | 0 | Not Detected | Pass |

Comment: Passed viability.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director
5/15/2023 2:31:19PM



Sample #: 1206

Planet of the Grapes

Micro by Petri & qPCR

Pass

Date Completed: 05/08/2023 9:18 am

| Compound | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
|---|-------------|----------------|----------------|--------|
| Aspergillus terreus Qualitative | 0 | 0 | Not Detected | Pass |
| Salmonella Qualitative | 0 | 0 | Not Detected | Pass |
| Shiga Toxin-Producing E. coli Qualitative | 0 | 0 | Not Detected | Pass |
| Total Aerobic Bacteria | 10 | | 33000 | Pass |
| Total Yeast & Mold | 10 | | 5000 | Pass |

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence".

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 License #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director
 5/15/2023 2:31:19PM

