



Date Released: 11/29/2023 12:58:55PM

Report #: 5564

**Blue Dream**

Sample #: 3063, Weight: 45.50g, Unit Count:

Order #: X231120-0001

Category/Type: Plant, Flower - Cured

Date Collected: 11/20/2023 3:25:11PM


Date Received: 11/20/2023 8:49:56PM

Regulator Sample ID: BD14O2A

Regulator Source Package ID: BD14O2A

Regulator Batch ID: BD14O2A

Size: 3200Units, Unit Count:



**Potency Analysis by HPLC**

Total Cannabinoids: **28.43 % - 284.3 mg/g**

Total THC: **23.46 % - 234.6 mg/g**

Total CBD: **0.1221 % - 1.221 mg/g**

Date Completed: 11/27/2023 9:41AM

| Compound | CAS#       | LOQ (%)  | %      | mg/g  | Relative Concentration |
|----------|------------|----------|--------|-------|------------------------|
| THCa     | 23978-85-0 | 0.001000 | 26.15  | 261.5 | [Bar]                  |
| CBGa     | 25555-57-1 | 0.001000 | 1.427  | 14.27 | [Bar]                  |
| d9-THC   | 1972-08-3  | 0.001000 | 0.5249 | 5.249 | [Bar]                  |
| CBG      | 25654-31-3 | 0.001000 | 0.1864 | 1.864 | [Bar]                  |
| CBDa     | 1244-58-2  | 0.001000 | 0.1392 | 1.392 | [Bar]                  |
| d8-THC   | 5957-75-5  | 0.001000 | ND     | ND    | [Bar]                  |
| d10-THC  | 95543-62-7 | 0.001000 | ND     | ND    | [Bar]                  |
| THCV     | 31262-37-0 | 0.001000 | ND     | ND    | [Bar]                  |
| CBD      | 13956-29-1 | 0.001000 | ND     | ND    | [Bar]                  |
| CBDV     | 24274-48-4 | 0.001000 | ND     | ND    | [Bar]                  |
| CBC      | 20675-51-8 | 0.001000 | ND     | ND    | [Bar]                  |
| CBN      | 521-35-7   | 0.001000 | ND     | ND    | [Bar]                  |

**Test Comment:** Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

d8-THC is an abbreviation for delta-8 tetrahydrocannabinol. d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**



**Keystone State Testing of New York**  
 1809 Vestal Pkwy E  
 Vestal, NY 13850  
 (607)301-0884  
 InfoNY@KeystoneStateTesting.com  
 www.KeystoneStateTesting.com  
 Permit #: OCM-CPL-2022-00007

*Kelly Greenland*

Dr. Kelly Greenland, Lab Director






**Sample #: 3063**

**Blue Dream**

**Terpenes by HS-GC-MS**

Date Completed: 11/27/2023 9:28AM



| Compound            | CAS#       | LOQ (%) | %      | Relative Concentration             |
|---------------------|------------|---------|--------|------------------------------------|
| Farnesene           | 502-61-4   | 0.1000  | 0.4377 | <div style="width: 43.77%;"></div> |
| Beta-myrcene        | 123-35-3   | 0.1000  | 0.3384 | <div style="width: 33.84%;"></div> |
| Beta-caryophyllene  | 87-44-5    | 0.1000  | 0.3147 | <div style="width: 31.47%;"></div> |
| Valencene           | 4630-07-3  | 0.1000  | 0.1093 | <div style="width: 10.93%;"></div> |
| Limonene            | 5989-27-5  | 0.1000  | ND     |                                    |
| Alpha-pinene        | 80-56-8    | 0.1000  | ND     |                                    |
| Alpha-humulene      | 6753-98-6  | 0.1000  | ND     |                                    |
| Linalool            | 78-70-6    | 0.1000  | ND     |                                    |
| Beta-pinene         | 127-91-3   | 0.1000  | ND     |                                    |
| Terpinolene         | 586-62-9   | 0.1000  | ND     |                                    |
| Borneol             | 464-45-9   | 0.1000  | ND     |                                    |
| Ocimene             | 13877-91-3 | 0.1000  | ND     |                                    |
| Alpha-bisabolol     | 515-69-5   | 0.1000  | ND     |                                    |
| Caryophyllene-oxide | 1139-30-6  | 0.1000  | ND     |                                    |
| Geraniol            | 106-24-1   | 0.1000  | ND     |                                    |
| Camphene            | 79-92-5    | 0.1000  | ND     |                                    |
| Guaiol              | 489-86-1   | 0.1000  | ND     |                                    |
| Alpha-terpinene     | 99-86-5    | 0.1000  | ND     |                                    |
| Terpineol           | 8006-39-1  | 0.1000  | ND     |                                    |
| Fenchol             | 14575-74-7 | 0.1000  | ND     |                                    |
| Alpha-phellandrene  | 99-83-2    | 0.1000  | ND     |                                    |
| Camphor             | 464-49-3   | 0.1000  | ND     |                                    |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**



**Keystone State Testing of New York**  
 1809 Vestal Pkwy E  
 Vestal, NY 13850  
 (607)301-0884  
 InfoNY@KeystoneStateTesting.com  
 www.KeystoneStateTesting.com  
 Permit #: OCM-CPL-2022-00007

*Kelly Greenland*

Dr. Kelly Greenland, Lab Director





**Sample #: 3063**

**Blue Dream**

| Compound         | CAS#       | LOQ (%) | %     | Relative Concentration |
|------------------|------------|---------|-------|------------------------|
| 3-Carene         | 13466-78-9 | 0.1000  | ND    |                        |
| Alpha-cedrene    | 469-61-4   | 0.1000  | ND    |                        |
| Cedrol           | 77-53-2    | 0.1000  | ND    |                        |
| Eucalyptol       | 470-82-6   | 0.1000  | ND    |                        |
| Fenchone         | 1195-79-5  | 0.1000  | ND    |                        |
| Gamma-terpinene  | 99-85-4    | 0.1000  | ND    |                        |
| Geranyl Acetate  | 105-87-3   | 0.1000  | ND    |                        |
| Isopulegol       | 89-79-2    | 0.1000  | ND    |                        |
| Menthol          | 15356-70-4 | 0.1000  | ND    |                        |
| Nerol            | 106-25-2   | 0.1000  | ND    |                        |
| Nerolidol        |            |         | 0.000 |                        |
| Pulegone         | 89-82-7    | 0.1000  | ND    |                        |
| Sabinene         | 3387-41-5  | 0.1000  | ND    |                        |
| Sabinene Hydrate | 546-79-2   | 0.1000  | ND    |                        |

**Test Comment:** Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

**Foreign Matter by Microscopy**

**Pass**

Analysis Date: 11/21/2023 3:36 pm

| Compound          | LOQ (%) | Limits (%) | Result (%) | Status |
|-------------------|---------|------------|------------|--------|
| % Foreign Matter  | 0.00100 | 2.0        | ND         | Pass   |
| Mammalian Excreta | 0.00100 | 0.03       | ND         | Pass   |
| Stems             | 0.00100 | 5.0        | ND         | Pass   |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

**Moisture LWG**

**Pass**

Analysis Date: 11/21/2023 3:36 pm

| Compound | LOQ (%) | Limits (%) | Result (%) | Status |
|----------|---------|------------|------------|--------|
| Moisture | 1.2     | 5 - 15     | 13.0       | Pass   |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**



**Keystone State Testing of New York**  
 1809 Vestal Pkwy E  
 Vestal, NY 13850  
 (607)301-0884  
 InfoNY@KeystoneStateTesting.com  
 www.KeystoneStateTesting.com  
 Permit #: OCM-CPL-2022-00007

*Kelly Greenland*

Dr. Kelly Greenland, Lab Director





**Sample #: 3063**

**Blue Dream**

**Water Activity**

**Pass**

Analysis Date: 11/21/2023 3:36 pm

| Compound       | LOQ (Aw) | Limits (Aw) | Result (Aw) | Status |
|----------------|----------|-------------|-------------|--------|
| Water Activity | 0.05     | 0.65        | 0.52        | Pass   |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

**Pesticides by LCMSMS**

**Pass**

Analysis Date: 11/27/2023 10:07 am

| Compound              | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------------|------------|---------------|---------------|--------|
| Abamectin             | 0.0100     | 0.500         | ND            | Pass   |
| Acephate              | 0.0100     | 0.400         | ND            | Pass   |
| Acequinocyl           | 0.0100     | 2.00          | ND            | Pass   |
| Acetamiprid           | 0.0100     | 0.200         | ND            | Pass   |
| Aldicarb              | 0.0100     | 0.400         | ND            | Pass   |
| Azadirachtin          | 0.0100     | 1.00          | ND            | Pass   |
| Azoxystrobin          | 0.0100     | 0.200         | ND            | Pass   |
| Bifenazate            | 0.0100     | 0.200         | ND            | Pass   |
| Bifenthrin            | 0.0100     | 0.200         | ND            | Pass   |
| Boscalid              | 0.0100     | 0.400         | ND            | Pass   |
| Captan                | 0.0100     | 1.00          | ND            | Pass   |
| Carbaryl              | 0.0100     | 0.200         | ND            | Pass   |
| Carbofuran            | 0.0100     | 0.200         | ND            | Pass   |
| Chlorantraniliprole   | 0.0100     | 0.200         | ND            | Pass   |
| Chlordane-alpha       | 0.0100     | 1.00          | ND            | Pass   |
| Chlorfenapyr          | 0.0100     | 1.00          | ND            | Pass   |
| Chloromequat Chloride | 0.0100     | 1.00          | ND            | Pass   |
| Chlorpyrifos          | 0.0100     | 0.200         | ND            | Pass   |
| Clofentezine          | 0.0100     | 0.200         | ND            | Pass   |
| Coumaphos             | 0.0100     | 1.00          | ND            | Pass   |
| Cyfluthrin            | 0.0100     | 1.00          | ND            | Pass   |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**



**Keystone State Testing of New York**  
 1809 Vestal Pkwy E  
 Vestal, NY 13850  
 (607)301-0884  
 InfoNY@KeystoneStateTesting.com  
 www.KeystoneStateTesting.com  
 Permit #: OCM-CPL-2022-00007

*Kelly Greenland*

Dr. Kelly Greenland, Lab Director





**Sample #: 3063**

**Blue Dream**

**Pesticides by LCMSMS**

**Pass**

Analysis Date: 11/27/2023 10:07 am

| Compound           | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|--------------------|------------|---------------|---------------|--------|
| Cypermethrin       | 0.0100     | 1.00          | ND            | Pass   |
| Daminozide         | 0.0100     | 1.00          | ND            | Pass   |
| Diazinon           | 0.0100     | 0.200         | ND            | Pass   |
| Dichlorvos         | 0.0100     | 1.00          | ND            | Pass   |
| Dimethoate         | 0.0100     | 0.200         | ND            | Pass   |
| Dimethomorph       | 0.0100     | 1.00          | ND            | Pass   |
| Ethoprophos        | 0.0100     | 0.200         | ND            | Pass   |
| Etofenprox         | 0.0100     | 0.400         | ND            | Pass   |
| Etoxazole          | 0.0100     | 0.200         | ND            | Pass   |
| Fenhexamid         | 0.0100     | 1.00          | ND            | Pass   |
| Fenoxycarb         | 0.0100     | 0.200         | ND            | Pass   |
| Fenpyroximate      | 0.0100     | 0.400         | ND            | Pass   |
| Fipronil           | 0.0100     | 0.400         | ND            | Pass   |
| Fonicamid          | 0.0100     | 1.00          | ND            | Pass   |
| Fludioxonil        | 0.0100     | 0.400         | ND            | Pass   |
| Hexythiazox        | 0.0100     | 1.00          | ND            | Pass   |
| Imazalil           | 0.0100     | 0.200         | ND            | Pass   |
| Imidacloprid       | 0.0100     | 0.400         | ND            | Pass   |
| Indolebutyric Acid | 0.0100     | 1.00          | ND            | Pass   |
| Kresoxim-methyl    | 0.0100     | 0.400         | ND            | Pass   |
| Malathion          | 0.0100     | 0.200         | ND            | Pass   |
| Metalaxyl          | 0.0100     | 0.200         | ND            | Pass   |
| Methiocarb         | 0.0100     | 0.200         | ND            | Pass   |
| Methomyl           | 0.0100     | 0.400         | ND            | Pass   |
| Methyl Parathion   | 0.0100     | 0.200         | ND            | Pass   |
| Mevinphos          | 0.0100     | 1.00          | ND            | Pass   |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**



**Keystone State Testing of New York**  
 1809 Vestal Pkwy E  
 Vestal, NY 13850  
 (607)301-0884  
 InfoNY@KeystoneStateTesting.com  
 www.KeystoneStateTesting.com  
 Permit #: OCM-CPL-2022-00007

*Kelly N Greenland*

Dr. Kelly Greenland, Lab Director





**Sample #: 3063**

**Blue Dream**

**Pesticides by LCMSMS**

**Pass**

**Analysis Date: 11/27/2023 10:07 am**

| Compound                | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-------------------------|------------|---------------|---------------|--------|
| MGK-264                 | 0.0100     | 0.200         | ND            | Pass   |
| Myclobutanil            | 0.0100     | 0.200         | ND            | Pass   |
| Naled                   | 0.0100     | 0.500         | ND            | Pass   |
| Oxamyl                  | 0.0100     | 1.00          | ND            | Pass   |
| Paclobutrazol           | 0.0100     | 0.400         | ND            | Pass   |
| Pentachloronitrobenzene | 0.0100     | 1.00          | ND            | Pass   |
| Permethrins, Total      | 0.0100     | 0.200         | ND            | Pass   |
| Phosmet                 | 0.0100     | 0.200         | ND            | Pass   |
| Piperonyl Butoxide      | 0.0100     | 2.00          | ND            | Pass   |
| Prallethrin             | 0.0100     | 0.200         | ND            | Pass   |
| Propiconazole           | 0.0100     | 0.400         | ND            | Pass   |
| Propoxur                | 0.0100     | 0.200         | ND            | Pass   |
| Pyrethrins Total        | 0.0100     | 1.00          | ND            | Pass   |
| Pyridaben               | 0.0100     | 0.200         | ND            | Pass   |
| Spinetoram Total        | 0.0100     | 1.00          | ND            | Pass   |
| Spinosad Total          | 0.0100     | 0.200         | ND            | Pass   |
| Spiromesifen            | 0.0100     | 0.200         | ND            | Pass   |
| Spirotetramat           | 0.0100     | 0.200         | ND            | Pass   |
| Spiroxamine             | 0.0100     | 0.200         | ND            | Pass   |
| Tebuconazole            | 0.0100     | 0.400         | ND            | Pass   |
| Thiacloprid             | 0.0100     | 0.200         | ND            | Pass   |
| Thiamethoxam            | 0.0100     | 0.200         | ND            | Pass   |
| Trifloxystrobin         | 0.0100     | 0.200         | ND            | Pass   |

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**



**Keystone State Testing of New York**  
 1809 Vestal Pkwy E  
 Vestal, NY 13850  
 (607)301-0884  
 InfoNY@KeystoneStateTesting.com  
 www.KeystoneStateTesting.com  
 Permit #: OCM-CPL-2022-00007

*Kelly Greenland*

Dr. Kelly Greenland, Lab Director





**Sample #: 3063**

**Blue Dream**

**Mycotoxins by LCMSMS**

**Pass**

Analysis Date: 11/27/2023 10:07 am

| Compound        | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------|------------|---------------|---------------|--------|
| Aflatoxin B1    | 0.0050     | 0.020         | ND            | Pass   |
| Aflatoxin B2    | 0.0050     | 0.020         | ND            | Pass   |
| Aflatoxin G1    | 0.0050     | 0.020         | ND            | Pass   |
| Aflatoxin G2    | 0.0050     | 0.020         | ND            | Pass   |
| Ochratoxin A    | 0.0050     | 0.020         | ND            | Pass   |
| Total Aflatoxin | 0.0050     | 0.020         | ND            | Pass   |

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

**Heavy Metals by ICPMS**

**Pass**

Analysis Date: 11/27/2023 4:27 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------|------------|---------------|---------------|--------|
| Antimony | 0.0100     | 2.00          | ND            | Pass   |
| Arsenic  | 0.00100    | 0.200         | 0.0139        | Pass   |
| Cadmium  | 0.00150    | 0.300         | 0.0392        | Pass   |
| Chromium | 0.280      | 110           | ND            | Pass   |
| Copper   | 0.0750     | 30.0          | 5.27          | Pass   |
| Lead     | 0.00250    | 0.500         | 0.142         | Pass   |
| Mercury  | 0.000500   | 0.100         | 0.00625       | Pass   |
| Nickel   | 0.0100     | 5.00          | 0.272         | Pass   |

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

**Micro by Petri & qPCR**

**Pass**

Analysis Date: 11/22/2023 2:11 pm

| Compound                          | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
|-----------------------------------|-------------|----------------|----------------|--------|
| Aspergillus flavus Qualitative    | 0           | 0              | Not Detected   | Pass   |
| Aspergillus fumigatus Qualitative | 0           | 0              | Not Detected   | Pass   |
| Aspergillus niger Qualitative     | 0           | 0              | Not Detected   | Pass   |
| Aspergillus terreus Qualitative   | 0           | 0              | Not Detected   | Pass   |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**



**Keystone State Testing of New York**  
 1809 Vestal Pkwy E

Vestal, NY 13850  
 (607)301-0884  
 InfoNY@KeystoneStateTesting.com  
 www.KeystoneStateTesting.com  
 Permit #: OCM-CPL-2022-00007

*Kelly Greenland*

Dr. Kelly Greenland, Lab Director





**Sample #: 3063**

**Blue Dream**

**Micro by Petri & qPCR**

**Pass**

Analysis Date: 11/22/2023 2:11 pm

| Compound                                  | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
|---|-------------|----------------|----------------|--------|
| Salmonella Qualitative                    | 0           | 0              | Not Detected   | Pass   |
| Shiga Toxin-Producing E. coli Qualitative | 0           | 0              | Not Detected   | Pass   |
| Total Aerobic Bacteria                    | 10          |                | ND             | Pass   |
| Total Yeast & Mold                        | 10          |                | 25000          | Pass   |

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. **Due to COA validation limitations:** "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence".

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**



**Keystone State Testing of New York**  
 1809 Vestal Pkwy E  
 Vestal, NY 13850  
 (607)301-0884  
 InfoNY@KeystoneStateTesting.com  
 www.KeystoneStateTesting.com  
 Permit #: OCM-CPL-2022-00007

*Kelly Greenland*

Dr. Kelly Greenland, Lab Director

