



Date Released: 10/25/2023 10:08:34AM

Report #: 3623

Cake Crushers

Sample #: 2704, Weight: 45.50g, Unit Count:

Order #: X231016-0001

Category/Type: Plant, Flower - Cured

Date Collected: 10/16/2023 12:51:14PM


Date Received: 10/16/2023 12:55:15PM

Regulator Sample ID: CC12GH2A

Regulator Source Package ID: CC12GH2A

Regulator Batch ID: CC12GH2A

Size: 1792Units, Unit Count:



Potency Analysis by HPLC

Total Cannabinoids: **26.78 % - 267.8 mg/g**
 Total THC: **22.40 % - 224.0 mg/g**
 Total CBD: **0.08963 % - 0.8963 mg/g**

Date Completed: 10/17/2023 9:35AM

| Compound | CAS# | LOQ (%) | % | mg/g | Relative Concentration |
|----------|------------|----------|---------|--------|--------------------------------------|
| THCa | 23978-85-0 | 0.001000 | 25.21 | 252.1 | <div style="width: 25.21%;"></div> |
| CBGa | 25555-57-1 | 0.001000 | 1.066 | 10.66 | <div style="width: 1.066%;"></div> |
| d9-THC | 1972-08-3 | 0.001000 | 0.2905 | 2.905 | <div style="width: 0.2905%;"></div> |
| CBDa | 1244-58-2 | 0.001000 | 0.1022 | 1.022 | <div style="width: 0.1022%;"></div> |
| CBG | 25654-31-3 | 0.001000 | 0.09683 | 0.9683 | <div style="width: 0.09683%;"></div> |
| THCV | 31262-37-0 | 0.001000 | 0.01395 | 0.1395 | <div style="width: 0.01395%;"></div> |
| d8-THC | 5957-75-5 | 0.001000 | ND | ND | |
| d10-THC | 95543-62-7 | 0.001000 | ND | ND | |
| CBD | 13956-29-1 | 0.001000 | ND | ND | |
| CBDV | 24274-48-4 | 0.001000 | ND | ND | |
| CBC | 20675-51-8 | 0.001000 | ND | ND | |
| CBN | 521-35-7 | 0.001000 | ND | ND | |

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

d8-THC is an abbreviation for delta-8 tetrahydrocannabinol. d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E

Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director






Sample #: 2704

Cake Crushers

Terpenes by HS-GC-MS

Date Completed: 10/18/2023 12:35PM



| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|------------------------------------|------------|---------|--------|------------------------|
| R(+)-Limonene | 5989-27-5 | 0.1000 | 0.6692 | |
| trans-Caryophyllene | 87-44-5 | 0.1000 | 0.1755 | |
| alpha-Pinene | 80-56-8 | 0.1000 | 0.1671 | |
| Linalool | 78-70-6 | 0.1000 | 0.1244 | |
| beta-Pinene | 127-91-3 | 0.1000 | 0.1072 | |
| Results based on dry weight | | | | |
| (-)-Borneol | 464-45-9 | 0.1000 | ND | |
| (-)-Caryophyllene Oxide | 1139-30-6 | 0.1000 | ND | |
| (-)-Isopulegol | 89-79-2 | 0.1000 | ND | |
| (+)-Borneol | 464-43-7 | 0.1000 | ND | |
| (+)-Cedrol | 77-53-2 | 0.1000 | ND | |
| (1R)-(+)-Camphor | 464-49-3 | 0.1000 | ND | |
| 3-Carene | 13466-78-9 | 0.1000 | ND | |
| alpha-Bisabolol | 515-69-5 | 0.1000 | ND | |
| alpha-Cedrene | 469-61-4 | 0.1000 | ND | |
| alpha-Farnesene | 502-61-4 | 0.1000 | ND | |
| alpha-Humulene | 6753-98-6 | 0.1000 | ND | |
| alpha-Terpinene | 99-86-5 | 0.1000 | ND | |
| alpha-Terpineol | 98-55-5 | 0.1000 | ND | |
| beta-Farnesene | 18794-84-8 | 0.1000 | ND | |
| beta-Myrcene | 123-35-3 | 0.1000 | ND | |
| Camphene | 79-92-5 | 0.1000 | ND | |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 2704

Cake Crushers

| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|----------------------|------------|---------|----|------------------------|
| cis-Nerolidol | 142-50-7 | 0.1000 | ND | |
| cis-OCimene | 3338-55-4 | 0.1000 | ND | |
| Endo-Fenchyl Alcohol | 14575-74-7 | 0.1000 | ND | |
| Eucalyptol | 470-82-6 | 0.1000 | ND | |
| Fenchone | 1195-79-5 | 0.1000 | ND | |
| gamma-Terpinene | 99-85-4 | 0.1000 | ND | |
| gamma-Terpineol | 586-81-2 | 0.1000 | ND | |
| Geraniol | 106-24-1 | 0.1000 | ND | |
| Geranyl Acetate | 105-87-3 | 0.1000 | ND | |
| Guaial | 489-86-1 | 0.1000 | ND | |
| Hexahydro Thymol | 15356-70-4 | 0.1000 | ND | |
| Nerol | 106-25-2 | 0.1000 | ND | |
| p-Mentha-1,5-diene | 99-83-2 | 0.1000 | ND | |
| Pulegone | 89-82-7 | 0.1000 | ND | |
| Sabinene | 3387-41-5 | 0.1000 | ND | |
| Sabinene Hydrate | 546-79-2 | 0.1000 | ND | |
| Terpinolene | 586-62-9 | 0.1000 | ND | |
| trans-Nerolidol | 40716-66-3 | 0.1000 | ND | |
| trans-OCimene | 3779-61-1 | 0.1000 | ND | |
| Valencene | 4630-07-3 | 0.1000 | ND | |

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Foreign Matter by Microscopy

Pass

Analysis Date: 10/17/2023 11:48 am

| Compound | LOQ (%) | Limits (%) | Result (%) | Status |
|-------------------|---------|------------|------------|--------|
| % Foreign Matter | 0.00100 | 2.0 | ND | Pass |
| Mammalian Excreta | 0.00100 | 0.03 | ND | Pass |
| Stems | 0.00100 | 5.0 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 2704

Cake Crushers

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Moisture by Analyzer

Pass

Analysis Date: 10/17/2023 9:41 am

| Compound | LOQ (%) | Limits (%) | Result (%) | Status |
|----------|---------|------------|------------|--------|
| Moisture | 1.2 | 5 - 15 | 13.7 | Pass |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Water Activity by Meter

Pass

Analysis Date: 10/17/2023 9:41 am

| Compound | LOQ (Aw) | Limits (Aw) | Result (Aw) | Status |
|----------------|----------|-------------|-------------|--------|
| Water Activity | 0.05 | 0.65 | 0.61 | Pass |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Pesticides by LCMSMS

Pass

Analysis Date: 10/19/2023 12:51 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|---------------------|------------|---------------|---------------|--------|
| Abamectin | 0.0100 | 0.5 | ND | Pass |
| Acephate | 0.0100 | 0.4 | ND | Pass |
| Acequinocyl | 0.0100 | 2 | ND | Pass |
| Acetamiprid | 0.0100 | 0.2 | ND | Pass |
| Aldicarb | 0.0100 | 0.4 | ND | Pass |
| Azadirachtin | 0.0100 | 1 | ND | Pass |
| Azoxystrobin | 0.0100 | 0.2 | ND | Pass |
| Bifenazate | 0.0100 | 0.2 | ND | Pass |
| Bifenthrin | 0.0100 | 0.2 | ND | Pass |
| Boscalid | 0.0100 | 0.4 | ND | Pass |
| Captan | 0.0100 | 1 | ND | Pass |
| Carbaryl | 0.0100 | 0.2 | ND | Pass |
| Carbofuran | 0.0100 | 0.2 | ND | Pass |
| Chlorantraniliprole | 0.0100 | 0.2 | ND | Pass |
| Chlordane-alpha | 0.0100 | 1 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 2704

Cake Crushers

Pesticides by LCMSMS

Pass

Analysis Date: 10/19/2023 12:51 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------------|------------|---------------|---------------|--------|
| Chlorfenapyr | 0.0100 | 1 | ND | Pass |
| Chloromequat Chloride | 0.0100 | 1 | ND | Pass |
| Chlorpyrifos | 0.0100 | 0.2 | ND | Pass |
| Clofentezine | 0.0100 | 0.2 | ND | Pass |
| Coumaphos | 0.0100 | 1 | ND | Pass |
| Cyfluthrin | 0.0100 | 1 | ND | Pass |
| Cypermethrin | 0.0100 | 1 | ND | Pass |
| Daminozide | 0.0100 | 1 | ND | Pass |
| Diazinon | 0.0100 | 0.2 | ND | Pass |
| Dichlorvos | 0.0100 | 1 | ND | Pass |
| Dimethoate | 0.0100 | 0.2 | ND | Pass |
| Dimethomorph | 0.0100 | 1 | ND | Pass |
| Ethoprophos | 0.0100 | 0.2 | ND | Pass |
| Etofenprox | 0.0100 | 0.4 | ND | Pass |
| Etoxazole | 0.0100 | 0.2 | ND | Pass |
| Fenhexamid | 0.0100 | 1 | ND | Pass |
| Fenoxycarb | 0.0100 | 0.2 | ND | Pass |
| Fenpyroximate | 0.0100 | 0.4 | ND | Pass |
| Fipronil | 0.0100 | 0.4 | ND | Pass |
| Fonicamid | 0.0100 | 1 | ND | Pass |
| Fludioxonil | 0.0100 | 0.4 | ND | Pass |
| Hexythiazox | 0.0100 | 1 | ND | Pass |
| Imazalil | 0.0100 | 0.2 | ND | Pass |
| Imidacloprid | 0.0100 | 0.4 | ND | Pass |
| Indolebutyric Acid | 0.0100 | 1 | ND | Pass |
| Kresoxim-methyl | 0.0100 | 0.4 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 2704

Cake Crushers

Pesticides by LCMSMS

Pass

Analysis Date: 10/19/2023 12:51 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-------------------------|------------|---------------|---------------|--------|
| Malathion | 0.0100 | 0.2 | ND | Pass |
| Metalaxyl | 0.0100 | 0.2 | ND | Pass |
| Methiocarb | 0.0100 | 0.2 | ND | Pass |
| Methomyl | 0.0100 | 0.4 | ND | Pass |
| Methyl Parathion | 0.0100 | 0.2 | ND | Pass |
| Mevinphos | 0.0100 | 1 | ND | Pass |
| MGK-264 | 0.0100 | 0.2 | ND | Pass |
| Myclobutanil | 0.0100 | 0.2 | ND | Pass |
| Naled | 0.0100 | 0.5 | ND | Pass |
| Oxamyl | 0.0100 | 1 | ND | Pass |
| Paclobutrazol | 0.0100 | 0.4 | ND | Pass |
| Pentachloronitrobenzene | 0.0100 | 1 | ND | Pass |
| Permethrins, Total | 0.0100 | 0.2 | ND | Pass |
| Phosmet | 0.0100 | 0.2 | ND | Pass |
| Piperonyl Butoxide | 0.0100 | 2 | ND | Pass |
| Prallethrin | 0.0100 | 0.2 | ND | Pass |
| Propiconazole | 0.0100 | 0.4 | ND | Pass |
| Propoxur | 0.0100 | 0.2 | ND | Pass |
| Pyrethrins Total | 0.0100 | 1 | ND | Pass |
| Pyridaben | 0.0100 | 0.2 | ND | Pass |
| Spinetoram Total | 0.0100 | 1 | ND | Pass |
| Spinosad Total | 0.0100 | 0.2 | ND | Pass |
| Spiromesifen | 0.0100 | 0.2 | ND | Pass |
| Spirotetramat | 0.0100 | 0.2 | ND | Pass |
| Spiroxamine | 0.0100 | 0.2 | ND | Pass |
| Tebuconazole | 0.0100 | 0.4 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 2704

Cake Crushers

Pesticides by LCMSMS

Pass

Analysis Date: 10/19/2023 12:51 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------|------------|---------------|---------------|--------|
| Thiacloprid | 0.0100 | 0.2 | ND | Pass |
| Thiamethoxam | 0.0100 | 0.2 | ND | Pass |
| Trifloxystrobin | 0.0100 | 0.2 | ND | Pass |

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

Mycotoxins by LCMSMS

Pass

Analysis Date: 10/19/2023 12:50 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------|------------|---------------|---------------|--------|
| Aflatoxin B1 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin B2 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.0050 | 0.020 | ND | Pass |
| Ochratoxin A | 0.0050 | 0.020 | ND | Pass |
| Total Aflatoxin | 0.0050 | 0.020 | ND | Pass |

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

Heavy Metals by ICPMS

Pass

Analysis Date: 10/17/2023 11:10 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------|------------|---------------|---------------|--------|
| Antimony | 0.0100 | 2 | ND | Pass |
| Arsenic | 0.00100 | 0.2 | 0.00244 | Pass |
| Cadmium | 0.00150 | 0.3 | ND | Pass |
| Chromium | 0.280 | 110 | 0.380 | Pass |
| Copper | 0.0750 | 30 | 4.47 | Pass |
| Lead | 0.00250 | 0.5 | 0.00418 | Pass |
| Mercury | 0.000500 | 0.1 | ND | Pass |
| Nickel | 0.0100 | 2 | 0.0157 | Pass |

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly N Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 2704

Cake Crushers

Micro by Petri & qPCR

Pass

Analysis Date: 10/19/2023 9:52 am

| Compound | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
|---|-------------|----------------|----------------|--------|
| Aspergillus flavus Qualitative | 0 | 0 | Not Detected | Pass |
| Aspergillus fumigatus Qualitative | 0 | 0 | Not Detected | Pass |
| Aspergillus niger Qualitative | 0 | 0 | Not Detected | Pass |
| Aspergillus terreus Qualitative | 0 | 0 | Not Detected | Pass |
| Salmonella Qualitative | 0 | 0 | Not Detected | Pass |
| Shiga Toxin-Producing E. coli Qualitative | 0 | 0 | Not Detected | Pass |
| Total Aerobic Bacteria | 10 | | 21000 | Pass |
| Total Yeast & Mold | 10 | | ND | Pass |

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. **Due to COA validation limitations:** "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence".

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director

